

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S12 1	55	proxy adj server\$1 near10 login	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/14 11:04
S12 2	12	"6243816"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/14 10:48
S12 3	22	server\$1 near10 login near10 behalf	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/14 11:17
S12 4	98	server\$1 near10 login near10 proxy	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/14 11:17
S12 5	0	server\$1 near10 login near10 proxy same icon\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/14 11:17
S12 6	62	server\$1 near10 login same icon\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/14 11:19
S12 7	0	sso near10 login same icon\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/14 11:20
S12 8	0	sign near5 on near10 login same icon\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/14 11:20
S12 9	5	server\$4 near10 icon\$1 near10 logon	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/14 11:23



S13 0	10	display\$4 near10 icon\$1 near10 logon	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/14 11:46
S13 1	1	success\$5 near10 icon\$1 near10 logon	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/14 11:48
S13 2	5	success\$5 near10 icon\$1 near10 (login log\$4 adj (in on))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/14 11:50
S13 3	22	"726"/\$.ccls. and global\$5 near10 (logon.login log adj (in on))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/14 11:57
S13 4	0	(linux unix) near10 mount\$4 near10 icon\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/14 11:57
S13 5	322	mount\$4 near10 icon\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/14 11:58
S13 6	176	mount\$4 near10 icon\$1 and @ad<"20001116"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/14 11:58
S13 7	2122037	display\$4 server\$1 near10 icon\$1 and @ad<"20001116"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/14 11:58
S13 8	286	display\$4 near10 server\$1 near10 icon\$1 and @ad<"20001116"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/14 11:59
S13 9	36	display\$4 near10 server\$1 near10 icon\$1 and @ad<"20001116" and (login logon log\$5 adj (in on))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/14 11:59

S14 0	16	("5107443"   "5530899"   "5720029"   "5760771"   "5796396"   "5831610"   "5832526"   "5901228"   "5923737"   "6108712"   "6249281"   "6253114"   "6385729"   "6401134"   "6401178"   "6407752").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/14 12:11
S14 1	1	("6725238").URPN.	USPAT	OR	OFF	2005/10/14 12:11

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	7	719/315-316.ccls. and (SSO or (sign adj1 on or signon) near3 (mechanism\$1 or object\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/14 14:52
L2	4	719/315-316.ccls. and "705"/7,8. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/14 14:52
L3	20	storage\$4 near10 offline and @ad<"20001116" and "705"/\$. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/14 14:52
L4	21	password\$1 near10 accounting near10 (server\$1 or system\$1) and @ad<"20001116"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/14 14:52